

2004, □ 1

CONTENTS

Theoretical electrical engineering and electrophysics

KONDRATENKO I.P., RASCHEPKIN A.P. Power characteristics of multipole linear inductors

considering final length of magnetic
circuits _____ 3

GLUKHEN'KY A.I., GORISLAVETS Yu.M., PETUKHOV I.S. Computation of electromagnetic

parameters of liquid metal metering pumps _____
_____ 10

Conversion of electric energy parameters

FEDIY V.S., NAMESTNIC S.G. Network current analysis of a three-phase valve-capacitor source

of reactive power (SRP) in a capacitive mode _____
_____ 18

OLESCHUK V., ERMURATSKI V., SIZOV A., YAROSHENKO E. Synchronous voltage control

in the overmodulation zone of standard drive inverters

_____ 22

LYPKIVSKY K.O., KHALIKOV V.A, MGZHAROVSKY A.G. Computation of an installed capacity

of transforming elements of discrete voltage regulators of alternating current _____ 30

VOLKOV A.V. High speed vector control of stator current in frequency-controllable asynchronous

electric drives with width-pulse modulation _____
_____ 35

KIRIK V.V. Regulator of an operating voltage value with indistinct control system _____

Electromechanical energy conversion

AFONIN A.A. Magnetic systems of electromechanical power converters with variation of magnetization

vectors of constant magnet _____
_____ 47

SHAITOR N.M. Problems and prospects erf elaboration of electromechanical converters of new

arrangements _____
_____ 55

Electric power systems and installations

KOROBCHUK K.V., TROKHIMENKO A.I., DENISEVICH K.B. Forming of prediction of possfcfc

operation modes of UPS of Ukraine _____
_____ 60

LAZAREV V.I. Electrodynamic resistance of transformer windings with rigid washers under compression_____64

ZORIN V.V. As to the problem of reactive electric energy payment_____68

Electrotechnological complexes and systems

CHERBA A.A., ZAKHARCHENKO S.N. Intensification of spark erosion micro- and nanoparticles precipitation in dielectric liquids by a nonuniform electric field_____73