

1995, No 4

CONTENTS

Electrodynamics of electrical power devices

Rosov V. Yu., Zautner F. L., Piliugina O. Yu. The error in magnetic field measurements caused by the

masses of active materials closely spaced to the source _____
_____ 3

Lupikov V. S., Get'man A. V., Pelevin D. E. The greatest possible field the system of point sources _____ 8

Shekhovtsov V. I., Dubodelov V. I., Iliencko O. S., Tsini M. R. Calculation of alternative current

asymmetric distributions in the working area of magnetodynamic pump _____

12

Vishtak P.A., Kondratenko I.P., Rashchepkin A.P. Longitudinal boundary effect in linear induction machine

under changes of the conductivity of secondary body along its length _____ 16

Sianov A.M. Calculation of electromagnetic parameters of inductive resistances by finite

Element method _____
_____ 21

Gladkov V.S., Dem'ianov V.V., Pashchenko A.V. The theory of current interruption in plasma interrupter,

voltage pulse charpener of nanosecond range _____ 25

Nikitin Iu.V., Babich L.A., Sherman M.I. Analysis of $RC(t)$ distributed intervals _____
28

Conversion of electric energy parameters

Sokol E.1. Formation of finite duration processes in semiconducting converters by means of prognostic

MPCS _____
_____ 33

Kostin N.A. The ways of creating pulse converters for electrodeposition _____
_____ 36

Voitek V.A., Isakov V.N. Frequency-controlled low power electric drives on the current source – self-

contained voltage inverter – asynchronous motor
system _____
39

Electromechanical energy conversion

Lishchenko A.1. Three-winding capacitor—and rectifier—exited induction generator for self-

contained power

units _____ 42

Asanbaev V.N., Saratov V.A. Biaxially exited synchronous turbo-generators _____
_____ 45

Mazurenko A.G., Palianichenko I.K., Shulika VA., Meleshchuk V.A. The peculiarities of the operation of

self-contained synchronous reluctance generator in pulse mode with various load feeds _____ 50

Martynov V.N., Oleinikov A.M. Simulation of current distribution in the mass of two-layer rotor in asynchronous motor _____
_____ 54

Tverdiakov V.V., Komleva V.I. Calculation of allowable reactive power of synchronous turbo-generator with regard to the parameters found experimentally _____ 57

Electric energy systems and installations

Leporskii V.D., Kussul M.E., Ivanitskaia T.V., Sychev A.S. Simulation of neural classifier for the solution

prog-nostic problems in electrical power
engineering_____ 61

Denisiuk V.P. Simulation of electric load curvesby trigonometric Hermite splines
_____ 66

Minguan Liu. Evaluation of the deviation number for power lines with single-phase ground fault
_____ 70

Kozarev N.H. Resonant device for locating fault
_____ 73

Electrical and magnetic measurements

Grinevich F.B., Kaminskii V.lu., Gnatenko L.N., Dulia V.V. Complete certification of the
processes of measurement_____ 77

